


INDUSTRIAL RUGGED HANDHELDS

M-Y401	4" IP67	Android 9.0 Android 11 AER GMS SOTI ready	Option Keyboard	2D Scan Engine	UHF Impinj CM2000-1	Accessory
	Standard 37 keys on front Display 4" Display (800x480) CPU Qualcomm, 1.8 GHz OctaCore Memory 3GB 32GB (opt. 4GB 64GB) WWAN 3G/4G, WiFi, BT, GPS, NFC Camera -/13MP F/R Battery 6.700 mAh		 27 keys, 47 keys	Zebra SE 4710 standard Zebra SE 4750 Mid Range Zebra SE 4850 Long Range 		Charging cradle 1 device Charging cradle Basis 4 devices Charging cradle 1 device, ethernet Charging cradle 2x Haupt battery Charging cradle 2x battery Pistol Grip Scan Engine handle
	  	 MY401-CRD-MCB	 MY401-CRD-RBC	 MY401-CRD-RBCE	 MY401-CRD-MBC	 MY401-CRD-PBC  MY401-PG
M-J401	4" IP65	Android 9 GMS SOTI ready		2D Scan Engine		Accessory
	Standard 31 keys, backlite Display 4" Display (800x480) CPU ARM Cortex 1.8 GHz OctaCore Memory 3GB 16GB WWAN 4G, WiFi, BT, GPS, NFC Camera -/13MP F/R Battery 5.200 mAh			SEUIC X3/X3 MR standard Honeywell N6703 Zebra SE4850 Long Range 		Charging cradle 1 device Charging cradle 4 x main battery Charging cradle for 5 devices Scan Enginehandle Holster
	 	 Charging cradle for 5 devices	 Charging cradle 1 device	 Scan Enginehandle	 Charging cradle 4 x main battery	
M-J402	4" IP67	Android 10 GMS SOTI	Option Keyboard	2D Scan Engine		Accessory
	Standard 17 keys on front Display 4" Display (800x480) CPU Helio P22 MT6762 Memory 4GB 64GB WWAN 4G, WiFi, BT, GPS, NFC Camera 5MP/13MP F/R flash Battery 5.200 mAh		 22 keys , with direction keys	SEUIC X3/X3 MR standard Honeywell N6703 Zebra SE4850 Long Range 		Charging cradle 1 device Charging cradle 1 device with ethernet Charging cradle for 5 devices Charging cradle for 5 devices with ethernet Charging cradle for 4 Batterien Holster & Cover & Schlaufen
	 	 Charging cradle 4x Batterie	 Charging cradle 1 device	 Scan Enginehandle	 Charging cradle 5 x device	


INDUSTRIAL RUGGED HANDHELDS

M-J400	4" IP67	Android 9 GMS SOTI ready	Option 22 keys	Scan Engine	Scan Engine handle CY-BJ02	Accessory
	Standard Display 4" Display (800x480) CPU Qualcomm Snapdragon 450, SDM450 Memory 3GB 16GB WWAN 4G, WiFi, BT, GPS, NFC Camera -/13MP F/R flash Battery 4.000 mAh  	17 keys on front 4" Display (800x480) Qualcomm Snapdragon 450, SDM450 3GB 16GB 4G, WiFi, BT, GPS, NFC -/13MP F/R flash 4.000 mAh	 direction keys	1D Scan Engine Honeywell N6603 SR 2D Scan Engine X3 Mid Range 		Charging cradle 1 device (Docking) car cradle Scan Engine handle
M-D400	4" IP65	Android 9.0 GMS SOTI ready		2D Scan Engine		Accessory
	Standard Display 4" Display (480x800); 320 nits CPU Mediatek MT8768 OctaCore Memory 2GB 16GB; Option 3GB 32GB WWAN LTE/4G, WiFi, GPS, BT, NFC Camera -/8MP F/R flash Battery 4.000 mAh 	24 keys on front 4" Display (480x800); 320 nits Mediatek MT8768 OctaCore 2GB 16GB; Option 3GB 32GB LTE/4G, WiFi, GPS, BT, NFC -/8MP F/R flash 4.000 mAh		Mobydata E3200 Mobydata E3250 	Charging cradle 	 DPM Scan Engine
M-604.3	4" IP65	Android 11 GMS SOTI ready		2D Scan Engine		Accessory
	Standard Display 4" Display (480x800); 300 nits CPU Mediatek MT6762 Memory 4GB 64GB WWAN LTE/4G, WiFi, GPS, BT, NFC, FM Camera 5MP/13MP F/R flash Battery 4.000 mAh 	26 keys on front 4" Display (480x800); 300 nits Mediatek MT6762 4GB 64GB LTE/4G, WiFi, GPS, BT, NFC, FM 5MP/13MP F/R flash 4.000 mAh		Default Zebra SE 4710 Option Honeywell N6703 	Charging cradle 	
M-605.2	5" IP65	Android 9.0 GMS SOTI ready		2D Scan Engine		Accessory
	Standard Display 5" Display (720 x 1280) CPU Qualcomm Snapdragon 625 MSM8953 Memory 4GB 64GB WWAN LTE/4G, WiFi, GPS, BT, NFC Camera -/13MP F/R flash Battery 4.000 mAh 	5" Display (720 x 1280) Qualcomm Snapdragon 625 MSM8953 4GB 64GB LTE/4G, WiFi, GPS, BT, NFC -/13MP F/R flash 4.000 mAh		Deafult Zebra SE 2100 Option Zebra SE 4710 	Charging cradle   UHF Modul   Multicradle (4-fach)	

INDUSTRIAL RUGGED HANDHELDS

M-605	5" IP65	Android 11 GMS SOTI ready		2D Scan Engine	Accessory			
	Standard Display 5" Display (720x1280) CPU Mediatek Helio P23 MT6763 Memory 4GB 64GB; Option: 6GB 128GB WWAN LTE/4G, WiFi, GPS, BT, NFC Camera 8/13 MP F/R flash Battery 4.000 mAh 	4 Funktions keys auf der Frontseite		Default Zebra SE 4710 Option Honeywell N6703 	 Charging cradle	 Halterung	 spare battery	
M-J520	5,2" IP67	Android 9 GMS SOTI		2D Scan Engine	Varianten	Accessory		
	Standard Display 5,2" Display (1920x1080) CPU Qualcomm Snapdragon 450 SDM450 Memory 4GB 64 GB WWAN LTE/4G, WiFi, GPS, BT Camera 5/13 MP F/R flash Battery 4.500 mAh	Pogo Pin		Default Honeywell N6603 SR Option X3 Mid Rang 	Lautstärkenmessung (backdeckel - Aufsatz) ID & UHF (backdeckel - Aufsatz)	Charging cradle 1 device		
						Charging cradle 1 device, ethernet		
						Charging cradle for 5 devices		
						Charging cradle for 5 devices, ethernet		
						Scan Engine handle		
						Cover, Clip, Armhalterung		
		 Charging cradle 1 device						
		 Charging cradle for 5 devices						
		 Scan Enginehandle						
								
		 Armcover						
								
M-Y521	5,2" IP65	Android 8.1 GMS AER SOTI	Android 11 GMS AER SOTI	2D Scanner	Module	Accessory		
	Standard Display 5,2" Display (1920x1080) CPU Mediatek MT6763 Memory 3GB 32GB WWAN LTE/4G, WiFi, GPS, BT Camera -/13 MP F/R Flash Battery 5.000 mAh	Scanbutton on both sides	Scanbutton on both sides	Default Zebra SE4710 Option Zebra SE4750 MR 	Fingerprint TCS1 Fingerprint TCS2 Fingerprint optical morpho UHF, rear attached	Charging cradle 1 device		
						Charging cradle 1 device, ethernet		
						Charging cradle for 4 devices		
						Charging cradle for 4 devices, ethernet		
						Scan Engine handle		
						Holster		
						silicone cover		
		 Charging cradle 1 device						
		 Charging cradle for 4 devices						
		 Holster offen						
		 Silicon cover						

INDUSTRIAL RUGGED HANDHELDS

M-Y522	5,2" IP65	Android 8.1 GMS AER SOTI	Android 11 GMS AER SOTI	2D Scanner		Accessory
	Standard Display 5,45" HD Display (1440x720) CPU Mediatek MT6763 Memory 3GB 32GB WWAN LTE/4G, WiFi, GPS, BT, NFC Camera 13MP Rück, Flash Battery 4.300 mAh 	Scanbutton on both sides 	Scanbutton on both sides 5,45" HD Display (1440x720) Mediatek MT6765 3GB 32GB (4GB 64GB) LTE/4G, WiFi, GPS, BT, NFC 13MP Rück, Flash 4.300 mAh	Default Zebra SE4710 Options Zebra SE4750 SR Zebra SE4750 MR 	UHF (handle) Impinj based Biometric Iris Scan 	Charging cradle 1 device Charging cradle 1 device, ethernet Scan Engine handle Holster Silicon cover 
M-Y551	5,5" IP65	Android 9 GMS SOTI	Android 11 GMS SOTI	2D Scanner		Accessory
	Standard Display 5,45" HD Display (1440x720) CPU Qualcomm Snapdragon 450 SDM450 Memory 3GB 32GB WWAN LTE/4G, WiFi, GPS, BT, NFC Camera 13MP Rück, Flash Battery 4.300 mAh	Scanbutton on both sides 	Scanbutton on both sides 5,45" HD Display (1440x720) Qualcomm SDM6115 3GB 32GB (4GB 64GB) LTE/4G, WiFi, GPS, BT, NFC 13MP Rück, Flash 4.300 mAh	Default Zebra SE4710 Options Honeywell N6603 Honeywell N6703 	UHF (handle) Impinj based Biometric Iris Scan Volume Measurement 3D Camera 	Charging cradle 1 device Charging cradle 1 device, ethernet Charging cradle 4 devices, basis *add * 4x Hauptbatterie * 2 handle battery * 1x device Holster, Cover; car cradle Adapter PogoPin/USB car cradle
						
P-606	6" IP65	Android 10 moq 500	Windows 10	Scanner		Accessory
	Display 6" Display (1280x720) CPU Qualcomm Snapdragon MSM8953 Memory 4GB 64GB WWAN LTE/4G, WiFi, GPS, BT, NFC Camera 8MP/13MP F/R Flash Battery 5.000 mAh	6" Display (1280x720) Intel Atom X5 Z8350 4GB 64GB LTE/4G, WiFi, GPS, BT, NFC 2MP/5MP F/R Flash 5.000 mAh		1D Scanner Honeywell N4313 2D Scanner Honeywell N3680 	Charging 	
P-606.2	5,7" IP67	Android 10 GMS SOTI ready		2D Scanner standard		Accessory
	Display 5,7" Display (1440x720) CPU Mediatek Helio P22 MT6762 Memory 4GB 64GB WWAN LTE/4G, WiFi, GPS, BT, NFC Camera 13/16 MP F/R Flash Battery 5.000 mAh 			Default Zebra SE 4710 Option Honeywell N6703 	Charging cradle 	

INDUSTRIAL RUGGED Tablets 7"

T-607	7" IP65	Android 10 moq 500	Windows 10 moq 500		Scan Engine	Option	Accessory
	Display 7" Display (800x1280), 1000 Nits CPU Qualcomm Snapdragon MSM8953 Memory 4GB 64GB WWAN LTE/4G, WiFi, GPS, BT, NFC Camera 5MP/13MP F/R Flash Battery 7.500 mAh I/O Mini HDMI, Micro-USB, MicroSD		Display 7" Display (800x1280), 1000 Nits CPU Intel Atom X5 Z8350 Memory 4GB 64GB WWAN LTE/4G, WiFi, GPS, BT Camera 2MP/5MP F/R flash Battery 7.500 mAh I/O Mini HDMI, Micro-USB, MicroSD		1D Scan Engine Honeywell N4313 2D Scan Engine Honeywell N3680 Zebra SE4710	NFC (Intel) UHF Modul Fingerprint	Charging cradle C602 plate RTM including screws and lock Active box for RTM 
						  	
T-307	7" IP67	Android 9		Interface Standard	Interface OBD II	Interface J1939	Accessory
	Display 7" Display (800x1280), 800 Nits CPU Qualcomm Snapdragon Memory 4GB 64GB WWAN LTE/4G, WiFi, GPS, BT, NFC Camera 5MP/13MP F/R flash Battery 5.000 mAh I/O PogoPin			CAN BUS RS232 x2, GPIO, RS485, RS422, USB Type-A ACC x 1	OBD II, RS232, GPIO, USB Type-A ACC x 1 + 4x camera	J1939 RS232 X1 GPIO Input x2 output x2 USB Type-A ACC x 1	docking station VESA / RAM 

INDUSTRIAL RUGGED Tablets 8"

T-608.2	8" IP67	Android 10 GMS	Windows 10	Display Options	Scan Engine	Option	Accessory
	Display 8" Display (800x1280), 450 nits CPU Qualcomm Snapdragon 625 MSM8953 Memory 4GB 64GB WWAN LTE/4G, WiFi, GPS, BT, NFC Camera 5MP/13MP F/R flash Battery 8.500 mAh I/O Mini-HDMI, USB3.0, TypC Micro-SIM, TF -256 G, PogoPin 		Display 8" Display (800x1280), 450 nits CPU Intel Atom X5 Z8350 Memory 4GB RAM, 64GB ROM WWAN LTE/4G, WiFi, GPS, BT Camera 2MP/5MP F/R flash Battery 7.800 mAh I/O Mini-HDMI, USB + Micro-USB Micro-SIM, MicroSD, PogoPin	Standard 800x1280 400 nits High Brightness 1280x800 800 nits Full HD (moq) 1920 x 1200 400 nits	1D Scan Engine Zebra SE655 2D Scan Engine Zebra SE2707	GSM 5G + Android 11 (Android only) NFC (Intel only) memory upgrade 128 GB SSD (intel)  	Charging cradle C602 plate RTM including screws and lock Active box for RTM 
T-608.3	8" IP67	Android 10 moq 500	Windows 10 moq 500	slim model, thickness 16mm only			
 SLIM	Display 8" Display (800x1280) CPU Qualcomm MSM8953 Memory 4GB 64GB WWAN LTE/4G, WiFi, GPS, BT Camera 5MP/13MP F/R flash Battery 7.500 mAh I/O Mini-HDMI, Micro USB 3.0		Display 8" Display (800x1280) CPU Intel Atom X5 Z8350 Memory 4GB 64GB WWAN LTE/4G, WiFi, GPS, BT Camera 2MP/5MP F/R flash Battery 7.500 mAh I/O Mini-HDMI, Micro-USB,				

INDUSTRIAL RUGGED Tablets 8"

T-608.4	8" IP65	Android 10	Android 11 moq 500	Windows 10 moq 500	Scan Engine	Option	Accessory
	Display	8" Display (800x1280) 320 nits	8" Display (800x1280) 400 nits	8" Display (800x1280) 250 nits			Charging cradle C602
	CPU	Qualcomm Snapdragon 625 MSM8953	Mediatek Helio P60 MT6771	Intel Atom X5 Z8350			plate RTM
	Memory	4GB 64GB	6GB 128GB	4GB 64GB	1D Scan Engine Honeywell N4313	NFC (Intel only)	including screws and lock
	WWAN	LTE/4G, WiFi, GPS, BT, NFC	LTE/4G, WiFi, GPS, BT, NFC	LTE/4G, WiFi, GPS, BT	2D Scan Engine Honeywell N3680		Active box for RTM
	Camera	5MP/13MP F/R flash	5MP/13MP F/R flash	2MP/5MP F/R flash	Zebra SE4710		
Battery	6.000 mAh	6.000 mAh	6.000 mAh				
I/O	HDMI 1.4a, MicroUSB 1.0, TypC	HDMI 1.4a, MicroUSB 1.0, TypC	HDMI 1.4a, MicroSD, USB, MicroUSB				
	12 er PogoPin	12 er PogoPin	12 er PogoPin				

T-Y800	8" IP65	Android 9 GMS AER SOTI		Scan Engine	Accessory
	Display 8" Full HD Display (1920x1200) CPU Qualcomm Snapdragon 625 MSM8953 Memory 3GB 32GB, (4GB 64GB) WWAN LTE/4G, WiFi, BT, GPS, NFC Camera 8MP/13MP F/R flash Battery 8.000 mAh I/O SIM, MicroSD, USB 3.0 Typ C 	 UHF Rear attached  UHF Extern  Fingerprint  Charging cradle  cover	2D Scanner Zebra SE4710  	Curser keys on front Fingerprint capacitive Fingerprint optical PSAM Modul UHF rear attached (Impinj) UHF extern (Impinj) Pistol grip Charging cradle cover Hand wrist	

INDUSTRIAL RUGGED Tablets 10"

T-610.2	10" IP65	Android 10 GMS SOTI ready	Windows 10	Display Options	Scan Engine	Accessory
	Display 10,1" Display (1280x800) CPU Qualcomm MSM8953 Memory 4GB 64GB WWAN LTE/4G, WiFi, GPS, BT Camera 5MP/13MP F/R flash Battery 10.000 mAh battery, changable I/O COM-Port (RS232), LAN-Port, MicroSD USB 3.0, Type C, Mini-HDMI	Display 10,1" Display (1280x800) CPU Intel Atom X5 Z8350 Memory 8GB 128GB WWAN LTE/4G, WiFi, GPS, BT Camera 2MP/5MP F/R flash Battery 10.000 mAh battery, changable I/O COM-Port (RS232), LAN-Port, MicroSD USB 3.0, Type C, Mini-HDMI		Standard 800x1280 400 nits High Brightness 1280x800 800 nits Full HD (moq) 1920 x 1200 400 nits	1D Scan Engine Honeywell N4313 2D Scan Engine Honeywell N3680 	Charging cradle C602 plate RTM including screws and lock Active box for RTM Spare battery 

T-610.2 K	10" IP65	Windows 10		Display	Scan Engine	Accessory
	Display 10,1" Full HD Display (1920x1200) CPU Intel Core m3-6Y30 Memory 8GB 128GB WWAN LTE/4G, WiFi, GPS, BT Camera 2MP/8MP front-/backkamera Battery 5.000 mAh, 7.4V battery, changable I/O COM-Port (RS232), LAN-Port, USB 3.0 Mini-HDMI, Micro-USB, MicroSD			Standard Full HD (moq) 1920 x 1200 400 nits	1D Scan Engine Zebra SE655 2D Scan Engine Honeywell N3680 	Charging cradle C602 plate RTM including screws and lock Active box for RTM Spare battery 

INDUSTRIAL RUGGED Tablets 10"

T-610.3	10" IP65	Android 10 moq 500	Windows 10 moq 500	Upgrade auf Anfrage			
	Display CPU Memory WWAN Camera Battery I/O	10,1" Display (1280x800) 400 nits Qualcomm Snapdragon 625 MSM8953 4GB 64GB, eMMC LTE/4G, WiFi, GPS, BT, NFC 5MP/13MP F/R flash 10.000 mAh battery Mini-HDMI, MicroSD USB + Micro-USB	10,1" Display (1280x800) 400 nits Intel Atom X5 Z8350 4GB 64GB, eMMC LTE/4G, WiFi, GPS, BT, (NFC) 2MP/5MP F/R flash 10.000 mAh battery Mini-HDMI, MicroSD USB + Micro-USB	RAM 128GB	slim model, thickness 16mm only		
T-610.4	10" IP65	Android 10	Android 11 moq 500	Windows 10 moq 500	Scan Engine	Option	Accessory
	Display CPU Memory WWAN Camera Battery I/O	10,1" Display (1280x800) Qualcomm MSM8953 4GB 64GB LTE/4G, WiFi, GPS, BT 5MP/13MP F/R flash 8.000 mAh Mini-HDMI, MicroSD, PogoPin USB + Micro-USB	10,1" Display (1280x800); 450 nits MediaTek MT6771 4GB 128GB LTE/4G, WiFi, GPS, BT, NFC 5MP/13MP F/R flash 8.000 mAh Mini-HDMI, MicroSD, PogoPin USB + Micro-USB	10,1" Display (1280x800) Intel Atom X5 Z8350 4GB 64GB LTE/4G, WiFi, GPS, BT, (NFC) 2MP/5MP F/R flash 8.000 mAh Mini-HDMI, MicroSD, PogoPin USB + Micro-USB	1D Scan Engine Zebra SE655 2D Scan Engine Honeywell N3680 	GSM 5G (Android only) NFC (Intel only)  	Charging cradle C602 plate RTM including screws and lock Active box for RTM 
T-610.5	10" IP65	Android 10 moq 500	Windows 10 moq 500		Scan Engine Modul	Option Module	Accessory
	Display CPU Memory WWAN Camera Battery I/O keys	10,1" Display (1920x1200) 400 nits Qualcomm Snapdr. 660 MSM8976 Plus 4GB 64GB LTE/4G, WiFi, GPS, BT, NFC 5MP/13MP F/R flash 10.000 mAh, changable Mini-HDMI, USB, MicroSD, PogoPin Funktionskeys on front	10,1" Display (1280x800), 700 nits CPU Intel Atom X5 Z8350, 4GB 64GB ; Option: 4GB 128GB LTE/4G, WiFi, GPS, BT, (NFC) 2MP/5MP F/R flash 10.000 mAh, changable Mini-HDMI, USB, MicroSD, PogoPin Funktionskeys on front		1D Scan Engine Honeywell N4313 2D Scan Engine Honeywell N3680 	UHF Fingerprint NFC (Intel only)   	Charging cradle C602 plate RTM including screws and lock Active box for RTM 
T-610.6	10" IP65	Windows 10 intel i5 8th Gen	Windows 10 intel i7 8th Gen	Linux vorbereitet / option	Scan Engine Modul	Option	Accessory
	Display CPU Memory WWAN Camera Battery I/O keys	10,1" Full HD Display (1920x1200) 8th Gen. Intel® Core™ i5-8250U 8GB 128GB, M.2 SDD LTE/4G, WiFi, GPS, BT 2MP/8MP F/R flash 860mAh + 5000 mAh /7.4V USB OTG, Mini-HDMI, MicroSD, RJ45, PogoPin Funktionskeys on front	8th Gen. Intel® Core™ i7-8250U 16GB 128GB, M.2 SDD		1D Scan Engine Zebra SE 655 2D Scan Engine Honeywell N3680 	NFC Module RS232 / full USB2.0 / big 	Charging cradle  1x COM-Port (RS232), 1x LAN-Port, 2x USB, incl. Slot for spare-battery
T-310	10" IP67	Android 9 Qualcomm	Linux Debian 10 NXP / ARM	All in One Kabel	Scan Engine	Interfaces options	Docking Active or passive
	Display CPU Memory WWAN Camera Battery I/O	10,1" FHD (1280x800), 1000 nits Qualcomm Snapdragon 450 SDM450 4GB 64GB LTE/4G, WiFi, GPS, BT, (NFC) 2MP/16MP F/R flash 8.000 mAh, changable Micro-SIM, MicroSD, USB-C PogoPin	NXP i.MX 8M mini, 4x Cortex A53 2GB 16GB, opt. 4GB 64GB LTE/4G, WiFi, GPS, BT 	All in One cable direct to the device or All in One cable to the docking	(Android only)	ADC ACC RS232 USB2 CANBus J1939/OBD II GPIO + RS232/RS422/RS485	

INDUSTRIAL RUGGED Tablets 12"

T-612	12" IP65	Android 10 T-612 Qualcomm	Windows 10 T-612K Intel	Tastatur	Scan Engine Modul	Accessory	
	Display 12,2" Full HD Display (1920x1200) CPU Qualcomm Snapdragon 625 MSM8953 Memory 4GB 64GB WWAN LTE/4G, WiFi, GPS, BT, NFC Camera 5MP/13MP F/R flash Battery 12.600 mAh, changable I/O Gigabit-LAN, 2x COM RS232, RS485) Mini-HDMI, 3xUSB (2.0/3.0)+MicroUSB Micro-SIM, Micro-SD, stand	12,2" Full HD Display (1920x1200) CPU Intel Core m3-6Y30 Memory 8GB 128GB M.2 SSD WWAN LTE/4G, WiFi, GPS, BT Camera 2MP/8MP F/R flash Battery 1000 mAh + 6300 mAh, changable I/O Gigabit-LAN, 2x COM RS232, RS485) Mini-HDMI, 3xUSB (2.0/3.0)+MicroUSB Micro-SIM, Micro-SD, stand	 QWERTY / QWERTZ (moq)	 1D Scan Engine Honeywell N4313 2D Scan Engine Honeywell N3680 TTL	Spare battery plate RTM including screws and lock Active box for RTM Charging cradle 1x RS232, x RJ45, 2x USB incl. slot for spare-battery		
T-612.6	12" IP65	Windows 10 intel i5 8th Gen	Windows 10 intel i7 8th Gen	Linux vorbereitet / option	Scan Engine Modul	Option	Accessory
	Display 12,2" Full HD Display (1920x1200) CPU 8th Gen. Intel® Core™ i5-8250U Memory 8GB 128GB WWAN LTE/4G, WiFi, GPS, BT Camera 2MP/8MP F/R flash Battery 860mAh + 6300 mAh battery /7.4V I/O USB OTG, Mini-HDMI, MicroSD, RJ45, PogoPin keys Function keys on front	12,2" Full HD Display (1920x1200) CPU 8th Gen. Intel® Core™ i5-8250U Memory 8GB 128GB WWAN LTE/4G, WiFi, GPS, BT Camera 2MP/8MP F/R flash Battery 860mAh + 6300 mAh battery /7.4V I/O USB OTG, Mini-HDMI, MicroSD, RJ45, PogoPin keys Function keys on front	12,2" Full HD Display (1920x1200) CPU 8th Gen. Intel® Core™ i7-8550U Memory 16GB 128GB	 Ubuntu	 1D Scan Engine Zebra SE 655 2D Scan Engine Honeywell N3680 	I/O (Modul) RS232 DB9 NFC  	Charging cradle  1x COM-Port (RS232), 1x LAN-Port, 2x USB, incl. Slot for spare-battery

INDUSTRIAL RUGGED BOX-PC

BPC-6200	Box-PC	Industrial Fanless Mini PC	Options	
	CPU Intel Core i5-8250U Memory 8GB 128GB SSD WWAN WiFi, BT, 2x Gigabit-LAN I/O 4x COM-Port (RS232), 1x 8bit DIO DB9 VGA, HDMI, 4x USB 3.0, 2x SIM	Industrial Fanless Mini PC Intel Core i5-8250U 8GB 128GB SSD WiFi, BT, 2x Gigabit-LAN 4x COM-Port (RS232), 1x 8bit DIO DB9 VGA, HDMI, 4x USB 3.0, 2x SIM	256GB SSD 512GB SSD LTE / 4G 	

INDUSTRIAL RUGGED LAPTOPS

L-613	13" IP65	Windows 10 Intel Core i5		Linux prepared/option	Keyboard	Option	
	Display CPU Memory WWAN Camera Battery I/O	13,3" Display (1920x1080) FullHD Intel Core i5-1135G7 (11th) 8GB 256GB M.2 SSD WiFi, BT, GPS 2MP front camera 5.600 mAh (2x 2800), 1x changable RJ45, COM-Port (RS232), (SIM) HDMI, USB 3.0 x3, TypC, Thunderbolt 4 Fingerprint		 Ubuntu	standard QWERTY layout optional QWERTZ layout on request moq & projects	LTE / 4G Touch Display  	
L-614	14" IP65	Windows 10 Intel Core i5	Windows 10 Intel Core i7	Linux prepared/option	Keyboard	Option	Accessory
	Display CPU Memory WWAN Camera Battery I/O	14" Display (1920x1080), 700 nits Intel Core i5-8250U 8GB 256GB M.2 SSD WiFi, BT, GPS 2MP front camera 2000 + 6300 mAh battery, changable Gigabit-LAN-Port, COM-Port (RS232) HDMI, 4x USB (2.0/3.0), SD Fingerprint	Intel Core i7-8550U 16GB 256GB M.2 SSD	 Ubuntu	standard QWERTY layout optional QWERTZ layout on request moq & projects	LTE / 4G Touch Display 	spare battery 6.300 mAh / 7,4V  6.300 mAh, 7,4V
L-615	15" IP65	Windows 10 Intel Core i5	Windows 10 Intel Core i7	Linux prepared/option	Keyboard	Option	Accessory
	Display CPU Memory WWAN Camera Battery I/O	15,6" Display (1920x1080) Full-HD Intel Core i5-1135G7 (11th) 8GB 256GB SSD WiFi, BT 2MP front camera 2000 + 6300 mAh battery, changable Gigabit-LAN-Port, COM-Port (RS232) HDMI, 4x USB (2.0/3.0), SD Fingerprint	Intel Core i7-8550U 16GB 256GB M.2 SSD	 Ubuntu	standard QWERTY layout optional QWERTZ layout on request moq & projects	LTE / 4G Touch Display 	spare battery 6.300 mAh / 7,4V  6.300 mAh, 7,4V

INDUSTRIAL RUGGED ACCESSORIES

Rugged Tablet Mount	RTM	Active Box for all RTM	plate / VHM active; standard	Car power adapter DC Konverter	Car Charger	Universal Key ACP 1
	for 8" T-608.2 T-608.4 T-Y800 for 10" T-610.2 T-610.4 T-610.5 for 12" T-612 T-612 K T-612 Q including screws and lock	5V oder 12V  Active-Box with 3x USB, 1x LAN-Port,	for 7" T-607 for 8" T-608.2 T-608.4 for 10" T-610.2 T-610.4 T-610.5 for 12" T-612 T-612 K T-612 Q (2xUSB 1xRJ45 1xRS232)	FC 53 In: 12-60V Out: 5,4 /3A FC 124 In: 12-58V Out: 12V/4A 	CC53 In: 12-24V Out: 5V/3A CC124 In: 12-24V Out: 12V/4A 	Active, internal battery Micro-USB incl. USB cable (for all models) 

Fork Lifter Cradle	Mounting Arm 90 RAM-102U-B-2461	Mounting Arm 140 RAM-246-2461U	Power Adapter	Protective film on request	Schulter Gurt on request	Handschuhe Geeignet for Touch
	Set including 2x VESA plate 75x75 mm 75x75 mm with C-ball each arm 90 mm	Set including 2x VESA plate 75x75 mm 100x100 mm with C-ball each arm 140 mm	Handheld (4"-6") IN: 220V Out: 5V/2A Tablets IN: 220V Out: 5V/3A Tablet IN: 220V Out: 12V/4A Laptop IN: 220V Out: 19V/3,4A	Reduces reflection Hybrid glass Antifreeze & crystal clear Crystal clear crystal clear hybrid glass Antifreeze & antireflection	for 8", 10" und 12" models	Heat protection General hand protection Sizes 7-11  EN388, EN407, CE

RTM + Active Box + RAM Mount + DC Konverter

INDUSTRIAL RUGGED SERVICES / LIZENZEN

	Standard 12 months	Prolongation up to 36 months	Extension WarrantyPlus		Licenses	Windows 10 11 Versionen
	warranty for all models 12 months	dural extension of the warranty up to 3 years	extension of the warranty scope for up to 3 years			Home PRO IoT IoT Enterprise (on request)

We reserve the right to make mistakes or modifications.

CONTACT DATA

BT Autoid GmbH
 Industriestraße 8
 63801 Kleinostheim | Germany

Phone: +49 (0) 6027 9903-007
 eMail: sales@bt-autoid.com
 Web: www.bt-autoid.com